

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 150 | candidate adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/05 15:29 |
| L2 | 119 | Query adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/05 15:29 |
| L3 | 13 | L1 and L2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/05 15:29 |
| L4 | 4 | L3 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/05 15:30 |
| L5 | 0 | L4 and statistical adj model\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/05 15:31 |
| L6 | 2 | L4 and model\$1 and distance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/05 15:31 |
| S1 | 2 | query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:38 |
| S2 | 0 | S1 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:46 |
| S3 | 16 | query adj fingerprint and model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:50 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S4 | 5 | query adj fingerprint and candidate adj fingerprint and model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:50 |
| S5 | 3 | S4 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:50 |
| S6 | 2 | S4 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:51 |
| S7 | 10 | query adj fingerprint and model and threshold and (signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:55 |
| S8 | 3 | S7 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:55 |
| S9 | 2 | S8 and candidate adj fingerprint and model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 14:56 |
| S10 | 1 | query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:03 |
| S11 | 0 | (query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:04 |
| S12 | 0 | (query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm. | US-PGPUB | OR | ON | 2009/03/20 15:04 |
| S13 | 1 | query adj fingerprint and statistical adj model and(signal or video or audio)and search \$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:06 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S14 | 74 | query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:06 |
| S15 | 73 | query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 and database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:06 |
| S16 | 54 | S15 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:07 |
| S17 | 15 | S15 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:07 |
| S18 | 0 | S17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:08 |
| S19 | 0 | S17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:08 |
| S20 | 3 | S17 and model\$1 and threshold and(signal or video or audio)and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:09 |
| S21 | 2 | S20 and vector and distance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:09 |
| S22 | 2 | S21 and(match\$3 or comparision or correlation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:11 |
| S23 | 2 | S22 and query adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:12 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S24 | 0 | S23 and statistical adj model and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:12 |
| S25 | 2 | S23 and model\$1 and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:13 |
| S26 | 25 | ((JOB) near2 (OOSTVEEN)). INV. | US-PGPUB; USPAT | OR | ON | 2009/03/20 15:19 |
| S27 | 1 | S26 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:19 |
| S28 | 98 | ((ANTONIUS) near2 (KALKER)). INV. | US-PGPUB; USPAT | OR | ON | 2009/03/20 15:20 |
| S29 | 2 | S28 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:20 |
| S30 | 1 | S29 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:21 |
| S31 | 0 | S30 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:21 |
| S32 | 48 | ((JAAP) near2 (HAITSMA)). INV. | US-PGPUB; USPAT | OR | ON | 2009/03/20 15:21 |
| S33 | 1 | S32 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:22 |
| S34 | 0 | (query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and search\$3 and extract\$3 and(comparision or match\$3 or correlation or similar)).CLM. | US-PGPUB | OR | ON | 2009/03/20 15:25 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S35 | 1 | (query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparison or match\$3 or correlation or similar)).CLM. | US-PGPUB | OR | ON | 2009/03/20 15:25 |
| S36 | 36741 | "382"/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:26 |
| S37 | 0 | S36 and query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparison or match\$3 or correlation or similar) | USPAT | OR | ON | 2009/03/20 15:26 |
| S38 | 1 | S36 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:27 |
| S39 | 0 | S38 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:28 |
| S40 | 10 | S36 and query adj fingerprint | USPAT | OR | ON | 2009/03/20 15:30 |
| S41 | 0 | S40 and fingerprint and statistical adj model and threshold\$1 | US-PGPUB | OR | ON | 2009/03/20 15:31 |
| S42 | 0 | S40 and candidate adj fingerprint and statistical adj model and threshold\$1 | US-PGPUB | OR | ON | 2009/03/20 15:31 |
| S43 | 1 | S40 and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:32 |
| S44 | 14212 | "704"/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:32 |
| S45 | 1 | S44 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:33 |
| S46 | 28368 | "700"/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:34 |
| S47 | 0 | S46 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 15:35 |
| S48 | 0 | S46 and query adj fingerprint | USPAT | OR | ON | 2009/03/20 15:35 |
| S49 | 0 | "396"/\$.ccls | USPAT | OR | ON | 2009/03/20 15:35 |
| S50 | 0 | S49 and query adj fingerprint | USPAT | OR | ON | 2009/03/20 15:36 |
| S51 | 0 | S49 and fingerprint | USPAT | OR | ON | 2009/03/20 15:36 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S52 | 100 | query adj fingerprint and database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:37 |
| S53 | 13 | S52 and query adj fingerprint and candidate adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:38 |
| S54 | 8 | S53 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:39 |
| S55 | 1 | S54 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 and construct\$3 adj query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:40 |
| S56 | 0 | S55 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:40 |
| S57 | 4 | S54 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:41 |
| S58 | 91 | ((("20070071330") or ("20090028441") or ("7142699") or ("20030169910") or ("20080270373") or ("6314196") or ("5953443") or ("20070003114") or ("20070067304") or ("6001562") or ("6240409") or ("5910999") or ("6292830") or ("6041133") or ("6317544") or ("6320974") or ("6466686") or ("6990453") or ("7206437") or ("7346512") or ("7356170") or ("20020083060") or ("20050004941") or ("20050084143") or ("20050144455") or ("20050180614") or ("20060122839") or ("20060161777") or ("20070203904") or ("20080208891") or ("20090012984") or ("6275601") or ("7369688") or ("5067162") or ("5272657") or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/20 15:46 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| | | ("6094507") or ("5917928") or ("5613014") or ("5960101") or ("20040260682") or ("4618988") or ("6002785") or ("6493709") or ("6757675") or ("6778688") or ("20020164058") or ("20030120647") or ("6356649") or ("6628834") or ("20070160259") or ("").pn.)). PN. | | | | |
| S59 | 15 | S58 and query adj fingerprint and database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:52 |
| S60 | 2 | S59 and query adj fingerprint and candidate adj fingerprint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:58 |
| S61 | 1 | S60 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:59 |
| S62 | 0 | S61 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 15:59 |
| S63 | 0 | "707"/\$.ccls | USPAT | OR | ON | 2009/03/20 15:59 |
| S64 | 32080 | "707"/\$.ccls. | USPAT | OR | ON | 2009/03/20 15:59 |
| S65 | 13 | S64 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:00 |
| S66 | 3 | S65 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:00 |
| S67 | 3 | S66 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | USPAT | OR | ON | 2009/03/20 16:00 |
| S68 | 2 | S67 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 16:01 |
| S69 | 1 | S68 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:02 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S70 | 95295 | "340"/\$.ccls. | USPAT | OR | ON | 2009/03/20 16:07 |
| S71 | 1 | S70 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:07 |
| S72 | 0 | S71 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:07 |
| S73 | 0 | S71 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | USPAT | OR | ON | 2009/03/20 16:08 |
| S74 | 0 | S71 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:08 |
| S75 | 1 | S71 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 16:08 |
| S76 | 51940 | "356"/\$.ccls. | USPAT | OR | ON | 2009/03/20 16:09 |
| S77 | 0 | S76 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:09 |
| S78 | 10687 | "283"/\$.ccls. | USPAT | OR | ON | 2009/03/20 16:09 |
| S79 | 2 | S78 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:09 |
| S80 | 0 | S79 and query adj fingerprint and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:10 |
| S81 | 0 | S79 and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:10 |
| S82 | 1 | S79 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 | USPAT | OR | ON | 2009/03/20 16:10 |
| S83 | 0 | S82 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:10 |
| S84 | 0 | S82 and @ad<"20031118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/20 16:11 |
| S85 | 22832 | "713"/\$.ccls. | USPAT | OR | ON | 2009/03/20 16:12 |
| S86 | 2 | S85 and query adj fingerprint and database | USPAT | OR | ON | 2009/03/20 16:13 |
| S87 | 1 | S86 and candidate adj fingerprint | USPAT | OR | ON | 2009/03/20 16:13 |

| | | | | | | |
|-----|---|--|-------|----|----|---------------------|
| S88 | 0 | S87 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector | USPAT | OR | ON | 2009/03/20 16:13 |
| S89 | 0 | S87 and @ad<"20031118" | USPAT | OR | ON | 2009/03/20 16:14 |

10/ 5/ 09 3:44:12 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 9412.wsp